


Author Index to Volume 12 (1991)

- Adamson, U., see Liu, D., 19
Akabane, S., see Ide, M., 157
Albeanu, A., see Liniger, C., 25
Alberti, K.G.M.M., see Marsiaj, H.I., 129
Antony, G., Cooper, S.G. and Svejkar, L.C., Continuous subcutaneous insulin infusion (CSII) and insulin antibodies in rabbits, 41
Aoki, M., see Matsutani, A., 35
Aoki, S., see Hasegawa, G., 143
Arauz, C., see Ramirez, L., 85
Assal, J.Ph., see Liniger, C., 25
Atputharajah, Y., see Koh, K.T.C., 11
- Bechgaard, E., see Gizurarson, S., 71
Bhatia, S. and Sharma, K.N., Taste impairment for glucose in diabetic PTC tasters and non-tasters, 193
Bianchi, R., Triban, C., Marini, P., Figliomeni, B., Paro, M., Italiano, G., Prosdocimi, M. and Fiori, M.G., Inner ester derivatives of gangliosides protect autonomic nerves of alloxan-diabetic rats against Na^+ , K^+ -ATPase activity defects, 107
Bloise, D., see Liniger, C., 25
Bouter, K.P., Diepersloot, R.J.A., Van Romunde, L.K.J., Uitslager, R., Masurel, N., Hoekstra, J.B.L. and Erkelens, D.W., Effect of epidemic influenza on ketoacidosis, pneumonia ad death in diabetes mellitus: a hospital register survey of 1976-1979 in The Netherlands, 61
- Catalano, C., see Marsiaj, H.I., 129
Cha, T., Tahara, Y., Yamato, E., Yoneda, H., Ikegami, H., Noma, Y., Shima, K. and Ogihara, T., Renal handling of glycated albumin in non-insulin-dependent diabetes mellitus with nephropathy, 149
Chan, Y.C., see Koh, K.T.C., 11
Cooper, S.G., see Antony, G., 41
Costagliola, D., Delaunay, C., Moutet, J.P., Kankambega, P., Demeulemeester, R., Donnet, J.P., Papoz, L. and Eschwege, E., The prevalence of diabetes mellitus in the adult population of Guadeloupe as estimated by history or fasting hyperglycemia, 209
- Dash, S.C., see Gupta, D.K., 125
De Leeuw, I., see Van Gaal, L., 99
- Delaunay, C., see Costagliola, D., 209
Demeulemeester, R., see Costagliola, D., 209
Diepersloot, R.J.A., see Bouter, K.P., 61
Donnet, J.P., see Costagliola, D., 209
- Eastman, S., Markholst, H., Wilson, D. and Lernmark, Å., Leukocytosis at the onset of diabetes in crosses of inbred BB rats, 113
Erkelens, D.W., see Bouter, K.P., 61
Eschwege, E., see Costagliola, D., 209
- Figliomeni, B., see Bianchi, R., 107
Fiori, M.G., see Bianchi, R., 107
Fong, N.P., see Koh, K.T.C., 11
Freeman, S.L., O'Brien, P.C. and Rizza, R.A., Use of human ultralente as the basal insulin component in treatment of patients with IDDM, 187
- Gizurarson, S. and Bechgaard, E., Intranasal administration of insulin to humans, 71
Goh, L.G., see Koh, K.T.C., 11
Gupta, D.K., Verma, L.K., Khosla, P.K. and Dash, S.C., The prevalence of microalbuminuria in diabetes: a study from North India, 125
- Hasegawa, G., Tsutsumi, Y., Aoki, S., Sawada, M., Setoguchi, J., Nakamura, N., Nakano, K., Kondo, M. and Kanatsuna, T., Relationship between erythrocyte sorbitol content and diabetic microangiopathy in patients with non-insulin-dependent diabetes mellitus: the study of a diet loading test, 143
Hellenbrand, D., see Ramirez, L., 85
Hirano, T., Mamo, J.C.L., Takeuchi, H., Nagano, S. and Takahashi, T., Correlation of insulin deficiency and hypertriglyceridemia in diabetic rats, 173
Hisatomi, A., see Takatsuki, H., 137
Hoekstra, J.B.L., see Bouter, K.P., 61
Home, P.D., see Marsiaj, H.I., 129
- Ide, M., Katayama, S., Akabane, S., Inaba, M., Maruno, Y., Negishi, K., Suzuki, M., Takahashi, K., Itabashi, A. and Ishii, J., Effect of Alpha1-blockade on diminished forearm blood flow in diabetics, 157

- Ikegami, H., see Cha, T., 149
 Inaba, M., see Ide, M., 157
 Ishii, H., see Takatsuki, H., 137
 Ishii, J., see Ide, M., 157
 Itabashi, A., see Ide, M., 157
 Italiano, G., see Bianchi, R., 107
- Kaku, K., see Matsutani, A., 35
 Kanatsuna, T., see Hasegawa, G., 143
 Kaneko, T., see Matsutani, A., 35
 Kankambega, P., see Costagliola, D., 209
 Katayama, S., see Ide, M., 157
 Kawai, K., Suzuki, S., Murayama, Y., Watanabe, Y. and Yamashita, K., Comparison of β -cell function after long-term treatment with either insulin, insulin plus gliclazide or gliclazide in neonatal streptozotocin-induced non-insulin-dependent diabetic rats, 163
 Kenesei, É., see Szabó, A., 91
 Khosla, P.K., see Gupta, D.K., 125
 Koh, K.T.C., Goh, L.G., Lam, S.L., Fong, N.P., Quah, Q.K., Meenakshi, S., Chan, Y.C. and Atputharajah, Y., Knowledge and concerns of newly diagnosed NIDDM patients in Singapore, 11
 Kondo, M., see Hasegawa, G., 143
 Krans, H.M.J., see Nijs, H.G.T., 1
 Kung, A.W.C., see Lam, K.S.L., 181
 Körner, A., see Szabó, A., 91
- Lam, K.S.L., Li, D.F., Lauder, I.J., Lee, C.P., Kung, A.W.C. and Ma, J.T.C., Prediction of persistent carbohydrate intolerance in patients with gestational diabetes, 181
 Lam, S.L., see Koh, K.T.C., 11
 Lauder, I.J., see Lam, K.S.L., 181
 Lee, C.P., see Lam, K.S.L., 181
 Lernmark, Å., see Eastman, S., 113
 Li, D.F., see Lam, K.S.L., 181
 Lim, T.O., Prevalence, age at diagnosis, clinical characteristics and treatment of diabetes in the young in Pahang, Malaysia, 201
 Liniger, C., Albeanu, A., Moody, J.F., Richez, J., Bloise, D. and Assal, J.Ph., The Thermocross: a simple tool for rapid assessment of thermal sensation thresholds, 25
 Lins, P.-E., see Liu, D., 19
 Liu, D., Moberg, E., Wredling, R., Lins, P.-E. and Adamson, U., Insulin absorption is faster when keeping the infusion site in use for three days during continuous subcutaneous insulin infusion, 19
- Ma, J.T.C., see Lam, K.S.L., 181
 Mamo, J.C.L., see Hirano, T., 173
 Marini, P., see Bianchi, R., 107
 Markholst, H., see Eastman, S., 113
 Marsiaj, H.I., Catalano, C., Sum, C.F., Home, P.D. and Alberti, K.G.M.M., Management of newly diagnosed non-insulin-dependent (type 2) diabetes mellitus: a retrospective audit, 129
 Maruno, Y., see Ide, M., 157
 Masurel, N., see Bouter, K.P., 61
 Matsuda, M., see Matsutani, A., 35
 Matsutani, A., Kaku, K., Aoki, M., Mori, K., Matsuda, M. and Kaneko, T., Possible mechanism of proteolysis for the extrapancreatic action of tolbutamide, 35
 Meenakshi, S., see Koh, K.T.C., 11
 Miltényi, M., see Szabó, A., 91
 Moberg, E., see Liu, D., 19
 Moody, J.F., see Liniger, C., 25
 Mori, K., see Matsutani, A., 35
 Moutet, J.P., see Costagliola, D., 209
 Murayama, Y., see Kawai, K., 163
- Nagano, S., see Hirano, T., 173
 Nagase, S., see Takatsuki, H., 137
 Nagy, I., see Szabó, A., 91
 Nakamura, N., see Hasegawa, G., 143
 Nakano, K., see Hasegawa, G., 143
 Nakashima, N., see Takatsuki, H., 137
 Nawata, H., see Takatsuki, H., 137
 Negishi, K., see Ide, M., 157
 Nijs, H.G.T., Radder, J.K., Poorthuis, B.J.H.M. and Krans, H.M.J., Glucose disposal and intermediary metabolism during one year of continuous subcutaneous insulin infusion (CSII), 1
 Nishikawa, M., see Sato, Y., 53
 Noma, Y., see Cha, T., 149
- O'Brien, P.C., see Freeman, S.L., 187
 Ogihara, T., see Cha, T., 149
- Papoz, L., see Costagliola, D., 209
 Paro, M., see Bianchi, R., 107
 Poorthuis, B.J.H.M., see Nijs, H.G.T., 1
 Prodocimi, M., see Bianchi, R., 107
- Quah, Q.K., see Koh, K.T.C., 11
- Radder, J.K., see Nijs, H.G.T., 1
 Ramirez, L., Rosenstock, J., Arauz, C., Hellenbrand, D. and Raskin, P., Low prevalence of microalbuminuria in normotensive patients with insulin-dependent diabetes mellitus, 85
 Raskin, P., see Ramirez, L., 85
 Richez, J., see Liniger, C., 25
 Rizza, R.A., see Freeman, S.L., 187
 Rosenstock, J., see Ramirez, L., 85
- Sato, Y., Nishikawa, M., Shinkai, H. and Sukegawa, E., Possibility of ideal blood glucose control by a new oral hypoglycemic agent, N-[(trans-4-isopropylcyclohexyl)-

- carbonyl]-D-phenylalanine (A-4166), and its stimulatory effect on insulin secretion in animals, 53
- Sawada, M., see Hasegawa, G., 143
- Setoguchi, J., see Hasegawa, G., 143
- Sharma, K.N., see Bhatia, S., 193
- Shima, K., see Cha, T., 149
- Shinkai, H., see Sato, Y., 53
- Sukegawa, E., see Sato, Y., 53
- Sum, C.F., see Marsiaj, H.I., 129
- Suzuki, M., see Ide, M., 157
- Suzuki, S., see Kawai, K., 163
- Svejkar, L.C., see Antony, G., 41
- Szabó, A., Kenesei, É., Körner, A., Miltényi, M., Sczűcs, L. and Nagy, I., Changes in plasma and urinary amino acid levels during diabetic ketoacidosis in children, 91
- Szűcs, L., see Szabó, A., 91
- Tahara, Y., see Cha, T., 149
- Takahashi, K., see Ide, M., 157
- Takahashi, T., see Hirano, T., 173
- Takatsuki, H., Ishii, H., Yamauchi, T., Nakashima, N., Nagase, S., Hisatomi, A., Umeda, F. and Nawata, H., A case of insulin allergy: the crystalline human insulin may mask its antigenicity, 137
- Takeuchi, H., see Hirano, T., 173
- Triban, C., see Bianchi, R., 107
- Tsutsumi, Y., see Hasegawa, G., 143
- Uitslager, R., see Bouter, K.P., 61
- Umeda, F., see Takatsuki, H., 137
- Van Acker, K., see Van Gaal, L., 99
- Van Gaal, L., Vansant, G., Van Acker, K. and De Leeuw, I., Decreased hepatic insulin extraction in upper body obesity: relationship to unbound androgens and sex hormone binding globulin, 99
- Van Romunde, L.K.J., see Bouter, K.P., 61
- Vansant, G., see Van Gaal, L., 99
- Verma, L.K., see Gupta, D.K., 125
- Watanabe, Y., see Kawai, K., 163
- Wilson, D., see Eastman, S., 113
- Wredling, R., see Liu, D., 19
- Yamashita, K., see Kawai, K., 163
- Yamato, E., see Cha, T., 149
- Yamauchi, T., see Takatsuki, H., 137
- Yoneda, H., see Cha, T., 149



Key Word Index to Volume 12 (1991)

- A-1466
– Sulfonylureas; Glycemic control; Insulin; Glucagon, 53
- Absorption promoter
– Insulin; Intranasal administration, 71
- Acidosis
– Influenza; Diabetes; Pneumonia; Excess mortality, 61
- Albuminuria
– Glycated albumin; Enzyme-immunoassay; Diabetic nephropathy; Charge selectivity, 149
- Alloxan-induced diabetic neuropathy
– Ganglioside inner ester derivative; Rat vagus nerve; Na^+ , K^+ -ATPase, 107
- Anthropometry
– Upper body obesity; Hyperinsulinism; Hepatic insulin extraction; Sex hormone, 100
- Audit
– Non-insulin-dependent diabetes mellitus; Obesity; Hypertension; Lipid; Glycaemic control, 129
- Autoimmunity
– Insulin-dependent diabetes; Eosinophilia; Neutrophilia; Insulinitis, 113
- Basal insulin
– Human ultralente; Intensive insulin therapy; Insulin absorption, 187
- Caribbean area
– Diabetes mellitus; Epidemiology; Prevalence; Obesity; Ethnic group; Family history, 209
- Charge selectivity
– Albuminuria; Glycated albumin; Enzyme-immunoassay; Diabetic nephropathy, 149
- Compliance
– Patient knowledge; NIDDM; Educational level; Concerns, 11
- Concerns
– Patient knowledge; NIDDM; Compliance; Educational level, 11
- Continuous subcutaneous insulin infusion
– Metabolite profile; Type 1 diabetes; Insulin resistance, 2
- Continuous subcutaneous insulin infusion
– Rabbit; Insulin antibodies; Insulins; Plastics, 41
- Crystalline human insulin
– Insulin allergy, 137
- Diabetes
– Influenza; Pneumonia; Acidosis; Excess mortality, 61
- Diabetes
– Triglyceride kinetics; Hypertriglyceridemia; Insulin; Rat, 173
- Diabetes in the young
– Malaysia; Epidemiology; Prevalence of insulin-dependent-diabetes mellitus; Non-insulin-dependent diabetes of the young, 201
- Diabetes mellitus
– Microalbuminuria; Retinopathy, 125
- Diabetes mellitus
– Forearm blood flow; Essential hypertension, 157
- Diabetes mellitus
– Gustatory; Taster; Non-taster; Palatability, 193
- Diabetes mellitus
– Epidemiology; Caribbean area; Prevalence; Obesity; Ethnic group; Family history, 209
- Diabetic ketoacidosis
– Plasma amino acid; Urinary amino acid; Tubular dysfunction, 91
- Diabetic microangiopathy
– Erythrocyte sorbitol content; Polyol pathway; Diet loading test, 143
- Diabetic nephropathy
– Albuminuria; Glycated albumin; Enzyme-immunoassay; Charge selectivity, 149
- Diet loading test
– Erythrocyte sorbitol content; Polyol pathway; Diabetic microangiopathy, 143
- Educational level
– Patient knowledge; NIDDM; Compliance; Concerns, 11
- Enzyme-immunoassay
– Albuminuria; Glycated albumin; Diabetic nephropathy; Charge selectivity, 149
- Eosinophilia
– Insulin-dependent diabetes; Neutrophilia; Autoimmunity; Insulinitis, 113

Epidemiology

- Diabetes in the young; Malaysia; Prevalence of insulin-dependent-diabetes mellitus; Non-insulin-dependent diabetes of the young, 201

Epidemiology

- Diabetes mellitus; Caribbean area; Prevalence; Obesity; Ethnic group; Family history, 209

Erythrocyte sorbitol content

- Polyol pathway; Diet loading test; Diabetic microangiopathy, 143

Essential hypertension

- Forearm blood flow; Diabetes mellitus, 157

Ethnic group

- Diabetes mellitus; Epidemiology; Caribbean area; Prevalence; Obesity; Family history, 209

Excess mortality

- Influenza; Diabetes; Pneumonia; Acidosis, 61

Extrapaneatic action

- Proteolysis; Tolbutamidine; F-2,6-P2, 35

F-2,6-P2

- Proteolysis; Tolbutamide; Extrapaneatic action, 35

Family history

- Diabetes mellitus; Epidemiology; Caribbean area; Prevalence; Obesity; Ethnic group, 209

Foot ulceration

- Thermal sensation; Neuropathy; Prevention, 25

Forearm blood flow

- Diabetes mellitus; Essential hypertension, 157

Ganglioside inner ester derivative

- Alloxan-induced diabetic neuropathy; Rat vagus nerve; Na^+ , K^+ -ATPase, 107

Gestational diabetes mellitus

- Oral glucose tolerance test; Postpartum glucose tolerance; Prediction; Logistic discrimination, 181

Glucagon

- A-1466; Sulfonylureas; Glycemic control; Insulin, 53

Glycaemic control

- Non-insulin-dependent diabetes mellitus; Obesity; Hypertension; Lipid; Audit, 129

Glycated albumin

- Albuminuria; Enzyme-immunoassay; Diabetic nephropathy; Charge selectivity, 149

Glycemic control

- A-1466; Sulfonylureas; Insulin; Glucagon, 53

Gustatory

- Diabetes mellitus; Taster; Non-taster; Palatability, 193

Hepatic insulin extraction

- Upper body obesity; Hyperinsulinism; Sex hormone; Anthropometry, 100

Human ultralente

- Basal insulin; Intensive insulin therapy; Insulin absorption, 187

Hyperinsulinism

- Upper body obesity; Hepatic insulin extraction; Sex hormone; Anthropometry, 100

Hypertension

- Non-insulin-dependent diabetes mellitus; Obesity; Lipid; Glycaemic control; Audit, 129

Hypertriglyceridemia

- Triglyceride kinetics; Insulin; Diabetes; Rat, 173

Influenza

- Diabetes; Pneumonia; Acidosis; Excess mortality, 61

Insulin

- A-1466; Sulfonylureas; Glycemic control; Glucagon, 53

Insulin

- Intranasal administration; Absorption promoter, 71

Insulin

- Triglyceride kinetics; Hypertriglyceridemia; Diabetes; Rat, 173

Insulin absorption

- Type 1 (insulin-dependent) diabetes mellitus; Insulin pump; Insulin infusion system; Pharmacokinetics, 19

Insulin absorption

- Human ultralente; Basal insulin; Intensive insulin therapy, 187

Insulin allergy

- Crystalline human insulin, 137

Insulin antibodies

- Continuous subcutaneous insulin infusion; Rabbit; Insulins; Plastics, 41

Insulin infusion system

- Type 1 (insulin-dependent) diabetes mellitus; Insulin pump; Pharmacokinetics; Insulin absorption, 19

Insulin pump

- Type 1 (insulin-dependent) diabetes mellitus; Insulin infusion system; Pharmacokinetics; Insulin absorption, 19

Insulin resistance

- Continuous subcutaneous insulin infusion; Metabolite profile; Type 1 diabetes, 2

Insulin secretion

- Insulin treatment; Sulfonylurea; Non-insulin-dependent diabetes mellitus, 163

Insulin treatment

- Sulfonylurea; Insulin secretion; Non-insulin-dependent diabetes mellitus, 163

Insulin-dependent diabetes

- Eosinophilia; Neutrophilia; Autoimmunity; Insulinitis, 113

Insulins

- Continuous subcutaneous insulin infusion; Rabbit; Insulin antibodies; Plastics, 41

Insulinitis

- Insulin-dependent diabetes; Eosinophilia; Neutrophilia; Autoimmunity, 113

- Intensive insulin therapy
 – Human ultralente; Basal insulin; Insulin absorption, 187
- Intranasal administration
 – Insulin; Absorption promoter, 71
- Lipid
 – Non-insulin-dependent diabetes mellitus; Obesity; Hypertension; Glycaemic control; Audit, 129
- Logistic discrimination
 – Gestational diabetes mellitus; Oral glucose tolerance test; Postpartum glucose tolerance; Prediction, 181
- Malaysia
 – Diabetes in the young; Epidemiology; Prevalence of insulin-dependent-diabetes mellitus; Non-insulin-dependent diabetes of the young, 201
- Metabolite profile
 – Continuous subcutaneous insulin infusion; Type 1 diabetes; Insulin resistance, 2
- Microalbuminuria
 – Diabetes mellitus; Retinopathy, 125
- NIDDM
 – Patient knowledge; Compliance; Educational level; Concerns, 11
- Na^+ , K^+ -ATPase
 – Ganglioside inner ester derivative; Alloxan-induced diabetic neuropathy; Rat vagus nerve, 107
- Neuropathy
 – Thermal sensation; Foot ulceration; Prevention, 25
- Neutrophilia
 – Insulin-dependent diabetes; Eosinophilia; Autoimmunity; Insulinitis, 113
- Non-insulin-dependent diabetes mellitus
 – Obesity; Hypertension; Lipid; Glycaemic control; Audit, 129
- Non-insulin-dependent diabetes mellitus
 – Insulin treatment; Sulfonylurea; Insulin secretion, 163
- Non-insulin-dependent diabetes of the young
 – Diabetes in the young; Malaysia; Epidemiology; Prevalence of insulin-dependent-diabetes mellitus, 201
- Non-taster
 – Diabetes mellitus; Gustatory; Taster; Palatability, 193
- Obesity
 – Non-insulin-dependent diabetes mellitus; Hypertension; Lipid; Glycaemic control; Audit, 129
- Obesity
 – Diabetes mellitus; Epidemiology; Caribbean area; Prevalence; Ethnic group; Family history, 209
- Oral glucose tolerance test
 – Gestational diabetes mellitus; Postpartum glucose tolerance; Prediction; Logistic discrimination, 181
- Palatability
 – Diabetes mellitus; Gustatory; Taster; Non-taster, 193
- Patient knowledge
 – NIDDM; Compliance; Educational level; Concerns, 11
- Pharmacokinetics
 – Type 1 (insulin-dependent) diabetes mellitus; Insulin pump; Insulin infusion system; Insulin absorption, 19
- Plasma amino acid
 – Urinary amino acid; Diabetic ketoacidosis; Tubular dysfunction, 91
- Plastics
 – Continuous subcutaneous insulin infusion; Rabbit; Insulin antibodies; Insulins, 41
- Pneumonia
 – Influenza; Diabetes; Acidosis; Excess mortality, 61
- Polyol pathway
 – Erythrocyte sorbitol content; Diet loading test; Diabetic microangiopathy, 143
- Postpartum glucose tolerance
 – Gestational diabetes mellitus; Oral glucose tolerance test; Prediction; Logistic discrimination, 181
- Prediction
 – Gestational diabetes mellitus; Oral glucose tolerance test; Postpartum glucose tolerance; Logistic discrimination, 181
- Prevalence of insulin-dependent-diabetes mellitus
 – Diabetes in the young; Malaysia; Epidemiology; Non-insulin-dependent diabetes of the young, 201
- Prevalence
 – Diabetes mellitus; Epidemiology; Caribbean area; Obesity; Ethnic group; Family history, 209
- Prevention
 – Thermal sensation; Neuropathy; Foot ulceration, 25
- Proteolysis
 – Tolbutamide; F-2,6-P₂; Extrapankreatic action, 35
- Rabbit
 – Continuous subcutaneous insulin infusion; Insulin antibodies; Insulins; Plastics, 41
- Rat
 – Triglyceride kinetics; Hypertriglyceridemia; Insulin; Diabetes, 173
- Rat vagus nerve
 – Ganglioside inner ester derivative; Alloxan-induced diabetic neuropathy; Na^+ , K^+ -ATPase, 107
- Retinopathy
 – Diabetes mellitus; Microalbuminuria, 125
- Sex hormone
 – Upper body obesity; Hyperinsulinism; Hepatic insulin extraction; Anthropometry, 100
- Sulfonylureas
 – A-1466; Glycemic control; Insulin; Glucagon, 53
- Sulfonylurea
 – Insulin treatment; Insulin secretion; Non-insulin-dependent diabetes mellitus, 163

Taster

- Diabetes mellitus; Gustatory; Non-taster; Palatability, 193

Thermal sensation

- Neuropathy; Foot ulceration; Prevention, 25

Tolbutamide

- Proteolysis; F-2,6-P₂; Extrapankreatic action, 35

Triglyceride kinetics

- Hypertriglyceridemia; Insulin; Diabetes; Rat, 173

Tubular dysfunction

- Plasma amino acid; Urinary amino acid; Diabetic ketoacidosis, 91

Type 1 (insulin-dependent) diabetes mellitus

- Insulin pump; Insulin infusion system; Pharmacokinetics; Insulin absorption, 19

Type 1 diabetes

- Continuous subcutaneous insulin infusion; Metabolite profile; Insulin resistance, 2

Upper body obesity

- Hyperinsulinism; Hepatic insulin extraction; Sex hormone; Anthropometry, 100

Urinary amino acid

- Plasma amino acid; Diabetic ketoacidosis; Tubular dysfunction, 91

